

8-port 10G SFP+ Switch




Highlights

- 8 * 10G SFP+optical port
- Supports IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3 bz, IEEE 802.3 ae, IEEE 802.3. x
- SFP+optical port supports 1.25G/2.5G/10G
- Supports automatic port flipping (automatic MDI/MDIX)
- The panel indicator lights will monitor the working status and assist in fault analysis
- Flow control mode, full duplex using IEEE802.3x standard, half duplex using backpressure standard

Specifications

Product Application



Specifications

Hardware Features & Performance		
Model		HR-SWTG1C8F
General	Interface	8 * 10G SFP+optical port
	Port Standard	IEEE802.3 (Ethernet) IEEE802.3u (Fast Ethernet) IEEE 802.3ab (Gigabit Ethernet) IEEE 802.3z (Gigabit Ethernet Fiber Standard) IEEE 802.3ae (10 Gigabit Ethernet) IEEE802.3x (Flow Control)
Performance	Switching Capacity	160Gbps
	Packet Forwarding Rate	119.04Mpps
	Packet Buffer	12Mbit
	MAC Address Table	16K
	Transmission Method	Store and Forward
Physical	Power Supply	AC 100-240V , 50/60Hz DC 12V 2A
	Mainboard Power Consumption	13.8W
	Structure Information	Product Dimensions :220*126*28mm Packaging Dimensions :259*228*60mm Product Net Weight:0.62KG Product Gross Weight:0.86KG
	Packing Information	Carton Dimensions :535*320*480mm Packing Quantity: 20PCS Packing Weight: 18.2KG
	Packing List	switch 1pcs, power adapter 1pcs, instruction manual 1pcs, certificate of qualification 1pcs
	Fan Quantity	0
	Installation	desktop
Environment	Surge Protection	
	Operating Temperature	0~40°C
	Storage Temperature	-40 °C to 70 °C
	Operation Humidity	10%~90%, non condensing
	Storage Humidity	5%~95%, non condensing

Specifications

Hardware Features & Performance		
Buttons & Indicator Lights	PWR	On: Powered on Off: Powered off
	SYS	Flashing: System startup in progress On: System startup completed
	SFP+ Led	Blue Led ON: 10G Link normal Green Led ON: 1000/2500Mbps Link normal Off: Link blocked Flashing: Data transmitting
	Speed Modes Buttons	1: The speed of ports 1-8 is 10G/1G; 2: The speed of ports 1-8 is 10G/2.5G; 3: The speed of ports 1-4 is 10G/1G;The speed of ports 5-8 is 10G/2.5G;

Specifications

Product Pictures



Product Structure Diagram

